

### **LISTING OF CLAIMS**

The listing of claims provided below replaces all prior versions, and listings, of claims in the application.

- 5            1.        (Original)        A method for using a token to sign an unsigned binary  
comprising:  
             signing an unsigned binary on a first computing device to obtain a first signature;  
             downloading said first signature and said unsigned binary to a second computing  
device;  
10           using a token coupled to said second computing device to sign said unsigned  
binary to obtain a second signature; and  
             comparing said first and second signatures.
2.        (Original)        The method of claim 1 further comprising:  
15           using said unsigned binary on said second computing device, if said first and  
second signatures match.
3.        (Original)        The method of claim 1 further comprising:  
             rejecting said unsigned binary on said second computing device, if said first and  
20           second signatures do not match.
4.        (Original)        The method of claim 1 wherein said token is a smart card.
5.        (Original)        The method of claim 1 wherein said first computing device  
25           is a server.

6. (Original) The method of claim 1 wherein said steps of signing and using use identical hashes.

5 7. (Original) The method of claim 1 further comprising:  
encrypting said unsigned binary and said first signature.

8. (Original) The method of claim 7 further comprising:  
de-crypting said encrypted unsigned binary and first signature.

10

9. (Original) A computer program product comprising:  
a computer usable medium having computer readable program code embodied therein configured to use a token to sign an unsigned binary, said computer program product comprising:

15 computer readable code configured to cause a computer to sign an unsigned binary on a first computing device to obtain a first signature;

computer readable code configured to cause a computer to download said first signature and said unsigned binary to a second computing device;

20 computer readable code configured to cause a computer to use a token coupled to said second computing device to sign said unsigned binary to obtain a second signature;  
and

computer readable code configured to cause a computer to compare said first and second signatures.

10. (Original) The computer program product of claim 9 further comprising:

computer readable code configured to cause a computer to use said unsigned binary on said second computing device, if said first and second signatures match.

5

11. (Original) The computer program product of claim 9 further comprising:

computer readable code configured to cause a computer to reject said unsigned binary on said second computing device, if said first and second signatures do not match.

10

12. (Original) The computer program product of claim 9 wherein said token is a smart card.

13. (Original) The computer program product of claim 9 wherein said first computing device is a server.

15

14. (Original) The computer program product of claim 9 wherein said computer readable code configured to cause a computer to use and said computer readable code configured to cause a computer to sign use identical hashes.

20

15. (Original) The computer program product of claim 9 further comprising:

computer readable code configured to cause a computer to encrypt said unsigned binary and said first signature.

25

16. (Original) The computer program product of claim 15 further comprising:  
computer readable code configured to cause a computer to de-encrypt said unsigned binary and said first signature.

5